



KMS

ARCHITECTURAL
L I T E S

PRODUCT

CATALOGUE



BY INNOVA INDUSTRIES

ARCHITECTURAL | COMMERCIAL | OUTDOOR | HOME AUTOMATION

“ WHERE QUALITY ILLUMINATION MEETS DESIGN ”

About Us



KMS Architectural Lites is a pioneering company specializing in the manufacturing of cutting-edge LED Architectural and Commercial Lighting solutions, alongside comprehensive Home and Office Automation services. With a steadfast commitment to innovation and quality, we cater to a diverse clientele ranging from architects to builders, delivering top-tier products designed to enhance spaces and improve efficiency.

"We're fueled by a commitment to customer satisfaction, prioritizing understanding their needs, exceeding expectations, and measuring success through their satisfaction and success. We aim to elevate experiences through innovative lighting and automation, crafting environments that inspire, delight, and enhance well-being with cutting-edge technology and thoughtful design."

NEW

Track Lights

Spotlights


Commercial

Outdoor

Automation



Only selective and best selling products are mentioned in the catalogue,
Contact for any other products



TRACK LIGHTS

S E R I E S



POWER

10W

20W

30W

FIXTURE SIZE

Ø 50/100MM

Ø60/135MM

Ø 80/150MM

BODY COLOUR


BLACK / WHITE

BLACK / WHITE

BLACK / WHITE

CREE 
PHILIPS





48V TRACK SYSTEM

TRACK SYSTEM



Linear

BODY COLOUR
Sand Black

CCT.
3000K | 4000K


90°



IP
20

CRI
≥90


Linear




FLIX-12W

Flux 307 | 322 Lm

Material
Aluminium + PC




110°




FLIX-20W

Flux 667 | 700 Lm

Material
Aluminium + PC




110°



FLIX-40W

Flux 1027 | 1078 Lm

Material
Aluminium + PC



110°



Laser

BODY COLOUR
Sand Black


CCT.
3000K | 4000K

LED
Cree | Osram (WW)




IP
20

CRI
≥90





Laser



LEXA-6W

Flux 376 | 394 Lm



Material
Aluminium + PC



LEXA-12W

Flux 705 | 810 Lm


Material
Aluminium + PC




LEXA-18W

Flux 947 | 944 Lm

Material
Aluminium + PC





LEXA-WW



LEXA-WW-6x1.5W

Flux 688 | 722 Lm


Material
Aluminium + PC



LEXA-WW-12x1.5W

Flux 1478 | 1551 Lm

Material
Aluminium + PC



Track Spot

A 48V DC-powered movable spotlight for track rail systems, offering 350° rotation and 90° tilt for flexible, precise lighting. Available in multiple options, it delivers versatility and sleek design, ideal for any dynamic lighting setup.

BODY COLOUR

Sand Black

CCT.

3000K | 4000K

LED


Cree (7W) |
BridgeLux (12W)

IP
20

CRI
≥90

90°

355°




M-SPOT-12W

Flux 831 | 1013 Lm

Material

Aluminium + PC




24°

Track


RECESSED DEEP TRACK



SURFACE TRACK



RECESSED DEEP TRACK



SURFACE TRACK
Track System

1 mtr.

Size 1000x74x60mm
 1005x30mm
Material Aluminium
Body Colour Sand Black

2 mtr.


Size 2000x74x60mm
 2005x30mm
Material Aluminium
Body Colour Sand Black

1 mtr.


Size 1004x28x60mm
Material Aluminium
Body Colour Sand Black

2 mtr.

Size 2004x28x60mm
Material Aluminium
Body Colour Sand Black




CORNER
CONNECTOR-TW





CORNER CONNECTOR



DRIVER 150W-TW




DRIVER 200W-TW



RECESSED CORNER-TW

Size 80x80x21mm
🔑 27x21mm


Material Aluminium
Body Colour Black



RECESSED INNER CORNER-TW

Size 80x80x21mm
🔑 27x21mm


Material Aluminium
Body Colour Black



RECESSED OUTER CORNER-TW

Size 80x80x21mm
🔑 27x21mm


Material Aluminium
Body Colour Black



RECESSED DEEP CORNER-TW


Size 100x60x46mm
🔑 32x31mm

Material Aluminium
Body Colour Black




SURFACE CORNER-TW

Size	80x80x21mm	Material	Aluminium
Body Colour	Black		



SURFACE INNER CORNER-TW

Size	80x80x21mm	Material	Aluminium
Body Colour	Black		



SURFACE OUTER CORNER-TW

Size	80x80x21mm	Material	Aluminium
Body Colour	Black		




Archi

tectural

Lights

RECESSED Downlights



**&
COB LIGHT**



KMS

DEEP RECESSED DOWNLIGHT



Available in 12W – 18W – 24W

12W : 120 x H50mm

18W : 155 x H55mm

24W : 175 x H55mm

KMS FLATO



Available in 12W - 15W - 18W

12W - 15W : 82 x H50mm

18W : 108 x H65mm



Slim - Bamboo




Available in 7W – 12W – 20W

7W : 62 x H86mm

12W : 84 x H104mm

12W : 110 x H127mm

Twin Slim- Bamboo



2 x 7W : 130 x 69 x H91mm

2x12W : 180 x 91 x H116mm

2 X 20W : 224 x 110 x

H142mm



KMS Alluria

Available in 7W - 12W

7W : 120 x H43mm

12W : 167 x H52mm

KMS Deep - Cone



Available in 7W - 12W - 15W - 18W

7W : 40 x H55mm

12W : 60 x H82mm

15W - 18W : 80 x H95mm

PRO



Available in : 7W - 10W

7W - 10W : 72 x H54mm

KAGE



7W : 45 X H50MM

12W : 70 X H80MM

18W : 70 X H75MM

ZENGA



7W : 45 X H 50 MM

12W : 70 X H 80 MM

AURA



7W : 60 X H 42MM

12W : 80 X H 50MM

18W : 100 X H 62MM

IMPERIA



7 W : 62 X H 60 M M

12 W : 85 X H 65 M M

SLIMO SPOT



7W : 42 x H84mm

12W : 57 x H98mm

18W : 65 x H103mm

GOLDISPOT




7W : 43 X H 81MM

12W : 63 X H 96MM

18W : 82 X H 98MM

GRAMMY



7W : 61X H 62MM

12W : 81X H 78MM

18W : 101 X H 90MM

SURFACE

TILT



Available in 7W - 12W

7W : 59 x H77mm

12W : 73 x H91mm

Lens Wallwasher



12W : 85 X H70MM

18W : 110 X H85MM

SAKAI

Trimless




7W : 65 x H80mm

12W : 100 x H85mm

18W : 131 x H118mm

SAKAI

Concealed




7W : 65 x H80mm

12W : 100 x H85mm

18W : 131 x H118mm

SAKAI TWIN



2x12W : 168 x 89 x
H90mm



DeltaPlus

Available in 7W - 12W - 15W - 18W

7W : 65 x H70mm

12W - 15W : 85 x H85mm

18W : 85 x H100mm



DeltaPlus Trimless


Available in 7W - 12W - 15W - 18W

7W : 65 x H70mm

12W - 15W : 85 x H85mm

18W : 85 x H100mm

KMS AKIRA




7W : 65 x 65 x 52

7W x 2 : 65 x 126 x 52

12W x 2 : 85 x 167 x 63

SORA



7W : 55 x H70mm

12W : 80 x H66mm

18W : 98 x H65mm

NOVA






7W : 55 x H46mm

12W : 80 x H48mm

18W : 100 x H50mm

24W : 125 x H50mm

TRAM




6 W : 75 x 45 x 48

12 W : 147 x 45 x 48

18 W : 281 x 45 x 48


TRAM Wallwashers



6W : 105 x 45 x 42

12W : 146 x 45 x 42

Cosmos



Available in 7W - 12W - 15W - 18W

7W : 85 x H55mm

12W - 15W : 85 x H80mm

ASTORIA

Anti-glare



Available in 7W - 12W - 15W - 20W

7W : 61 x H79mm

12W - 15W : 84 x H100mm

18W : 110 x H122mm

ASTORIA

TWIN Anti-glare



Available in 7W - 12W - 15W - 20W

7W x 2 : 130 x 69 x H85mm

12W - 15W x 2 : 180 x 91 x H100mm

20W x 2 : 224 x 110 x H139mm

Glaze



4W : 65 x H35mm

7W : 75 x H45mm


12W : 85 x H50mm

18W : 95 x H70mm

24W : 115 x H80mm

30W : 150 x H85mm

50W : 150 x H100mm



Some of our

LIGHTS

“Illumination that meets with Design”

DoomsDay



CUSTOMISATION AVAILABLE

20W - 25W - 30W - 35W

538 X H225MM

600 X H350MM



KMS

CIRCULO



KMS DROOM





KMS LINEA



KMS

LEUCOS




A modern office interior featuring several large, circular, illuminated pendant lights hanging from the ceiling. The lights are arranged in a staggered, overlapping pattern. In the background, there is a large glass wall or window with a view of the outdoors, and a long table with chairs is visible. The overall atmosphere is clean and contemporary.

KMS CIRCO



ER

SA



TLER

RETLER


KMS SQUAREO





KMS


VIBIA



KMS

Baleyton





KMS WallWasher



LANDSCAPE

KMS OUTDOOR

LANDSCAPE LIGHTS





KMS

FOURWAY


KMS

BOLLARD



KMS WHISKY





**UPSIDE
KMS
DOWN**






KMS
DOWNSIDE



KMS
RECTO



KMS Profile Lights





PENDENT **KMS** LIGHTS



KMS-A855





KMS-9108






KMS-9439




KMS-9451



KMS-9452



KMS-9432



KMS-9373



KMS-9370

AH STUDIO

HOME



Save on
your
Electricity bill!





Voice
Control




Seamless
App
control

Time based
control



"STREAMLINE LIVING WITH INTELLIGENT HOME AUTOMATION."

3 ZONE WIRELESS SMART KEYPAD



**BLUETOOTH SIGMESH PROTOCOL CONTROL DISTANCE : < 25
METRES**

**3 GROUP CONTROL+ BRIGHTNESS CONTROL+CCT
CONTROL+SCENE SWITCHING**

ENVIRONMENTALLY FRIENDLY PC MATERIAL

Gateway Bluetooth SIG Mesh

TECHNICAL SPECIFICATION



WIRELESS TECHNOLOGY

BLE SIG Mesh, 2.4G Wi-Fi

ADAPTER OUTPUT

5V 1A (Adapter not included with order)

WORKING CURRENT

<1A

WORKING TEMPERATURE

5°C – 40°C

COLOR

White

IR BLASTER



Technical Specification

Wireless technology : 3G/4G Wi-Fi

Adaptor output : 5V 1A

Working current : <1A


Working temperature : 5°C – 40°C

Color : White



Dimensions (LxWxH) : 62mm x 61.8mm x 15.3mm

Product Overall View and Names of Parts

Ti-8040



No.	Product Name	Color	Materials/Specifications
①	End Side Pulley	White	Molded plastic
②	Ceiling Single Bracket M	White	Steel
③	Rail	White	Aluminum
④	Motor Side Pulley	White	Molded plastic
⑤	Stop	Silver	Steel
⑥	Noiseless Roller	Natural	Molded plastic
⑦	Pilot Roller Set	Silver	Steel, Molded plastic
⑧	Motor	White	Aluminum, molded plastic (case)
⑨	Electric Cord with the ground	White	Wire (1 m/39")
⑩	Drive Belt	Green	3-layer structure of steel wires, plastic and fiber
⑪	Antenna	White	Wire



Parts Name

①	Motor Shaft
②	Fixing Lever
③	LED Indicator Lamp (red, blue)
④	Power Supply Terminal
⑤	Motor Cord Terminal (one channel)
⑥	PG Button
⑦	Curtain Hook

Specification

Rated power voltage	AC 100 to 240 V
Rated power frequency	50/60 Hz
Power consumption	During stand by: 2.5 W or lower Max. load operation: 90 W
Operating voltage	DC 5 V
Operating current	5 mA
Power rating	0.6 A (AC 240 V), 1.4 A (AC 100 V)
Operating speed	8 sec./m
Rated current	0.8 N.m
Ambient temperature	0 to 50°C (non-condensing)
Time rating	4 min. (continuous operation)
Noise level	40 dB (in default motor speed)